

In the Claims

1.(currently amended) A knock-down portable bar cart comprising
a body frame of rectangular box-shaped skeletal structure, said
body frame including a pair of vertically disposed spacers at each corner of said
body frame;

a pair of leg frames, each leg frame being releaseably connected to
said body frame at an opposite side from the other of said leg frames to support
said body frame on a support surface, each leg frame including a vertical plate at
each side thereof, each plate having a pair of vertically spaced slots receiving a
respective pair of spacers of said body frame to effect a releasable connection
between each leg frame and said body frame; and

a table top releaseably connected to and across said leg frames in
vertically spaced relation to said body frame.

2.(cancelled)

2 ~~2~~ (original) A knock-down portable bar cart as set forth in claim 2 ~~1~~ which
further comprises a horizontally disposed floor plate removably mounted in said
body frame to provide a shelf.

6 ~~4~~ (original) A knock-down portable bar cart as set forth in claim ~~2~~ ² which
further comprises a pair of guides on two opposite sides of said body frame to
define a recess with one other side of said body frame to receive a cooler
therein.

5.(cancelled)

3 ~~3~~ (currently amended) A knock-down portable bar cart as set forth in claim
5 ~~1~~ which further comprises a pair of wheels on one of said leg frames for rolling
on a support surface.

4 ~~4~~ (currently amended) A knock-down portable bar cart as set forth in claim
5 ~~1~~ wherein each leg frame has a pair of horizontal outwardly disposed arms and
said table top rests on said arms.

7 ~~8~~ (original) A knock-down portable bar cart as set forth in claim ~~7~~ ⁴ wherein
said table top includes a peripheral edge of U-shaped cross-section slidably
receiving an end of each arm therein.

9. (withdrawn)

10. (withdrawn)

11. (withdrawn)

12. (withdrawn)

5 ~~13~~. (original) A knock-down portable bar cart as set forth in claim 1 wherein each leg frame has a pair of horizontal outwardly disposed arms and said table top rests on said arms.

8 ~~14~~. (original) A knock-down portable bar cart as set forth in claim ~~13~~ ⁵ wherein said table top includes a peripheral edge of U-shaped cross-section slidably receiving an end of each arm therein.

15. (withdrawn)

16. (withdrawn)

17. (withdrawn)

CI
9 ~~18~~. (currently amended) A bar cart comprising
 a body frame of box-shaped skeletal structure;
 a pair of leg frames, each leg frame being disposed at an opposite side of said body frame from the other of said leg frames;
 connecting means integrated in said body frame and each leg frame for releaseably connecting each leg frame to said body frame, each said connecting means including a vertical plate having a pair of vertically spaced slots on one of said leg frames and said body frame and a pair of vertically disposed spacers on the other of one of said leg frames and said body frame, said spacers being slidably received in said slots of said plate; and
 a table top releaseably connected to and across said leg frames in vertically spaced relation to said body frame.

19. (withdrawn)

10 ~~20~~. (currently amended) A bar cart as set forth in claim ~~19~~ ⁹ ~~18~~ which further comprises a pair of guides on two opposite sides of said body frame to define a recess with one other side of said body frame to receive a cooler therein.

11 ~~21~~⁹ (currently amended) A bar cart as set forth in claim 19 ~~18~~ wherein each leg frame has a pair of horizontal outwardly disposed arms and said table top rests on said arms.

14 ~~22~~¹¹ (original) A bar cart as set forth in claim ~~21~~ wherein said table top includes a peripheral edge of U-shaped cross-section slidably receiving an end of each arm therein.

12 ~~23~~⁹ (currently amended) A bar cart as set forth in claim 19 ~~18~~ which further comprises a fabric strip disposed peripherally about said leg frames and at least one side of said body frame and means secured to opposite ends of said fabric strip to hold said strip about said leg frames and said one side of said body frame.

cl 13 ~~24~~⁹ (original) A bar cart as set forth in claim ~~18~~ wherein said body frame includes a first pair of parallel vertically disposed pair of rectangular frames defining a pair of sides of said body frame and a second pair of parallel vertically disposed rectangular frames defining a pair of ends of said body frame.

15 ~~25~~ (re-presented-formerly dependent claim 15) A knock-down portable bar cart comprising

cl a body frame, said body frame includes including a first pair of parallel vertically disposed pair of rectangular frames defining a pair of sides of said body frame and a second pair of parallel vertically disposed rectangular frames defining a pair of ends of said body frame;

a pair of leg frames, each leg frame being releaseably connected to said body frame at an opposite side from the other of said leg frames to support said body frame on a support surface; and

a table top releaseably connected to and across said leg frames in vertically spaced relation to said body frame.

16 ~~26~~¹⁵ (re-presented-formerly dependent claim 16) A knock-down portable bar cart as set forth in claim ~~25~~ which further comprises a pair of vertically spaced spacers secured to and between each pair of adjacent rectangular frames.